





HIGH QUALITY FLOORING





The demands made on today's flooring are as diverse as the lifestyles and interior designs they support. While there are as many reasons for the rapidly increasing popularity of laminate flooring as there are styles, the end result is always the same: satisfying even the highest demands for comfort, functionality and beauty.





Nowhere is this more true than in the extensive EURO HOME line of high quality and exclusive laminate flooring. Whether in a plank, strip or tile look, precision aligned or randomly staggered, the inspired matte surfaces of EURO HOME laminate flooring with glistening wood pores are designed to exquisitely exceed all needs and expectations, no matter the style. Incorporating numerous technical advances, EURO HOME flooring is not merely attractive to the eye, but it also beautifully withstands all the pressures of everyday life.

Be inspired ...



## **CONTENTS**

Product overview	
Symbols, structures and textures	(
Packaging information	-
collection RESIDENCE	1
collection NATURE	14
collection VILLA GRANDE	18
collection VILLA PURE	2
collection LOFT	28
collection COUNTRY	3
collection CLASSIC	3(

## EUROHOME FLOORSTUDIO

#### Virtual room set at www.euro-home.com

Take the guesswork out of planning the room of your dreams. Simply visit the Floor Studio at www.euro-home.com and watch your ideas take shape. Go ahead, be as bold and creative as you like.

EURO HOME

QUALITY FLOORING —

THE STYLE OF

YOUR HOME.



www.euro-home.com



Anti Bacterial Microscratch Authentic Moisture AC Rating/Utilization Class Guarantee\* Joint Protection Coating\*\* V-Groove Protect Embossed Handscraped collectie RESIDENCE Domestic use with heavy utilization Commercial use with 1285 x 192 x 10 mm general utilization collectie NATURE Domestic use with heavy utilization Commercial use with 1285 x 192 x 8 mm general utilization collectie VILLA GRANDE Domestic use with heavy utilization 1285 x 242 x 8 mm Commercial use with general utilization 1285 x 327 x 8 mm collectie VILLA PURE heavy utilization 1285 x 192 x 8 mm Commercial use with general utilization Domestic use with collectie LOFT heavy utilization Commercial use with 1285 x 192 x 8 mm general utilization collectie COUNTRY Domestic use with heavy utilization 1285 x 192 x 7 mm Commercial use with moderate utilization collectie CLASSIC heavy utilization 1285 x 192 x 7 mm Commercial use with moderate utilization

<sup>\*</sup> The guarantee is valid for domestic use according to the conditions of guarantee (detailed terms of guarantee: www.euro-home.com).

<sup>\*\*</sup> Tested germs: Staphylococcus aureus

\*\* Selected decors

# EUROHOME & enjoy living



### MOISTURE PROTECTION

Swelling-resistant substrates and secure click systems ensure optimum protection against



### 1CLIC 2GO PURE

Even in hard to reach places like corners, doors and under radiators, the ingenious "1clic 2go pure" system makes installing EURO HOME flooring simple and fast. The tongue & groove joint along the length of a panel is slid into position from above and fixed flush with the adjoining panel. The panels are then securely interlocked.



#### TWIN CLIC

The Twin Clic system has been specifically designed to make the installation of your laminate flooring as easy and hassle-free as possible. With Twin Clic, the tongue and groove profile allows individual panels to be securely and quickly joined together in a snap - with minimal tooling and difficulty.



### **ANTI-SLIP CLASSES**

Safety is something we put great emphasis on. Classification in anti-slip classes (R9 and R10) has been achieved through specially developed surface structures, which address the requirements for floor coverings in the workplace and commercial areas where a high risk of slipping is present.



#### **AUTHENTIC EMBOSSED**

The high quality Authentic Embossed structures feature elegant contrasting and a thrilling multi-gloss effect that emphasises the depth of the structure with matt and gloss elements that reflect the light differently. The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



### HANDSCRAPED EFFECT

A breathtakingly elegant and realistic oiled finish, with gentle irregular undulations, inspired by traditional Amish craftsmanship. The soft matt surface replicates the hardwood area of solid flooring gently polished over time due to footfall. Meanwhile the deep matt pores are highlighted with glossy accents.



#### MICROSCRATCH PROTECT

This especially durable surface will protect your floors even better against microscratches which can occur through heavy use. With Microscratch Protect, your flooring will be well-protected against fine scratches and everyday wear and tear.



#### ANTI BACTERIAL COATING

You naturally want to keep your floor as clean and germ-free as possible. We can't see germs, but we all know the problems they can cause if left unchecked. Allergies can be aggravated and illness can result. A.B.C. inhibits the growth of bacteria on your flooring and provides you with the peace-off-mind that comes from a healthy home environment.



## **ECO FRIENDLY**

All floors are environmentally friendly as standard made of 90% wood sourced from sustainably managed forests. What's more, the entire production chain - from raw materials to the finished product - has been certified and is regularly inspected by independent experts, ensuring peace of mind for you – and protection of our environment.












- Tested germs: Staphylococcus aureus
- \* Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling on a scale from A+ (very low-emission) to C (high-emission). For further information: www.eco-institut.de/en/portfolio/emissions-dans-lair-interie
- \* www.eco-institut-label.de/en/
- ★ www.pefc.org
- \* www.scsglobalservices.com/floorscore



Old English Oak (OE) -**Authentic Embossed** 



Hand Scraped Effect (HC) -**Authentic Embossed** 




Vintage Hickory (VH) -**Authentic Embossed** 



Rust (RT)




Rustic Finish (RF)



Used Wood (UW)



Royal Oak (RO) -**Authentic Embossed** 



Living Pore (LP) -**Authentic Embossed** 



Palace Oak (PO) -**Authentic Embossed** 



Nature Line (NL)



Super Matt (SU)




**Grained Timber (GT)** 

K267 Enchanted Oak, Planked | PO






# THE GENUINE LOOK AND FEEL OF AUTHENTIC WOODEN FLOORING.



look and feel of wood to any room.

www.euro-home.com





# CLASSIC CHARM IN A NEW DESIGN.



collection

Surface area: Panels/Pack.: Weight/Pack.:

RESIDENCE

1285 x 192 mm

## **ADVANTAGES**

K412 Doubloon Oak, Planked | OE

- Thickness: 10 mm
- Handscraped effect, Microscratch Protect surface
- Bevelled edges on all four sides of the panel
- Matt surface with Authentic Embossed glossy pores
- 1clic 2go pure Clickable short and long edges





















## Suitable for class 32/AC4 as per EN 13329



virtuoso floor creation.



who value the whispers of time as something delightful and precious, the handscraped effect of the planks will evoke treasured emotions. As if masterfully sculpted by hand, the matt brushed surface creates a very special atmosphere for each and every room. For that one-off visual experience, combine RESIDENCE DELUXE and RESIDENCE into a playful yet elegant pattern of narrow

and wide planks - a bold marriage of contrasts in a







8155 Appalachian Hickory Planked | VH



K412 Doubloon Oak Planked | OE



K413 Blackwater Oak Planked | OE









**ALL THE WARMTH** WITHOUT THE WORK.



collection

NATURE

Total thickness: 8 mm

Weight/Pack.: 16 kg

Panels/Pack.:

1285 x 192 mm

9 pieces (2.22 m<sup>2</sup>)

## **ADVANTAGES**

K391 Skyline Oak, Planked | RO

- Thickness: 8 mm
- Bevelled plank edges create a flawless wooden floorboard appearance
- Matt surface with Authentic Embossed glossy pores
- Natural look and feel























Natural to the eye and to the touch, the NATURE collection is a true innovation when it comes to capturing the distinctiveness of real wood. The natural look and feel of this high-quality surface accents the most beautiful features of genuine wood. The boards' long bevelled edges and the matte surface with authentic glossy pores result in a perfectly finished floor with a real look of authenticity. With the

NATURE collection, enjoy all the benefits of traditional

design coupled with ultramodern practicality.



8630 Aspen Oak Planked | LP

5543 Colorado Oak Planked | HC

5542 Boulder Oak Planked | HC









8575 Blonde Oak Planked | LP

K267 Enchanted Oak Planked | PO

K392 Atomic Oak Planked | RO





8634 Light Brushed Oak Planked | LP

K266 Hayfield Oak Planked | PO



K391 Skyline Oak Planked | RO







STUNNING WIDE PLANKS LOOK LIKE GENUINE SOLID WOOD.



## **ADVANTAGES**

K392 Atomic Oak, Planked | RO | 327 mm

- Thickness: 8 mm
- Suitable for heavy domestic and medium commercial use
- Bevelled plank edges create a flawless wooden floorboard appearance
- 1clic 2go pure Clickable short and long edgest





















and grand impressions!



plank edges and original-scale panel dimensions to exude the sophisticated look of solid wood. Full room makeovers are now as easy as laying a new floor one distinguished by its spacious and elegant style. And easy it is - both to install and to maintain.

The first choice in flooring to create new inspirations



Suitable for class 32/AC4 as per EN 13329

Surface area: Panels/Pack.: Weight/Pack.:

Total thickness:

collection

VILLA GRANDE

8 mm 1285 x 242 mm | 1285 x 327 mm 8 stuks (2.49 m<sup>2</sup>) | 6 stuks (2.52 m<sup>2</sup>) 18 | 17 kg

EUROHOME enjoy living

K063 Organic Oak Planked | NL | 242 mm

K269 Eggshell Oak

Planked | GT | 242 mm



5966 Khaki Oak Planked | NL | 242 mm



K406 Eurus Oak Planked | NL | 327 mm



8575 Blonde Oak Planked | LP | 242 mm



K002 Grey Craft Oak Planked | UW | 242 mm



K393 Stonerush Pine Planked | GT | 327 mm



K392 Atomic Oak



K064 Elemental Oak Planked | NL | 242 mm



K406 Eurus Oak, Planked | NL | 327 mm

K415 Aeolus Oak Planked | GT | 327 mm







**CHARMING** FLOORBOARD EFFECT.

collection

Total thickness: 8 mm

Weight/Pack.: 16 kg

Panels/Pack.:

1285 x 192 mm

9 pieces (2.22 m<sup>2</sup>)

VILLA PURE

Small joints lead to big effects. The V-grooves featured in the VILLA PURE collection give your floor a charming solid plank appearance. A variety of decors make this flooring perfect for virtually any setting or use while its outstanding durability and 1clic2go click system makes installation and maintenance a breeze.

## **ADVANTAGES**

- Thickness: 8 mm
- Bevelled edges on all four sides of the panel
- Visible longitudinal panel grooves expand the perception of space
- Easy installation















Suitable for class 32/AC4 as per EN 13329











K275 Huntsman Oak Planked | GT

K420 Petros Oak Planked | GT

K418 Longbow Oak Planked | GT








5946 Rockford Oak Planked | NL

K407 Ashenwood Oak Planked | RT

NEW









K419 Armoury Oak Planked | GT



8837 New England Oak Planked | SU



5966 Khaki Oak Planked | NL



K415 Aeolus Oak, Planked | GT






## ANTI BACTERIAL COATING.



You naturally want to keep your floor as clean and germ-free as possible, especially if you've got little ones or pets running around. We can't see germs, but we all know the problems they can cause if left unchecked. Allergies can be aggravated and illness can result. A.B.C. does not allow for germs to grow. Germs can be present on a floor from many sources such as shoes, spills or animals etc, but EURO HOME A.B.C. Anti Bacterial Coating, works alongside a hygienic cleaning regime, to create peace of mind and a healthy environment.

www.euro-home.com





SETTING TRENDS.

collection

Total thickness: 8 mm

Weight/Pack.: 16 kg

Surface area: 1285 x 192 mm

9 pieces (2.22 m<sup>2</sup>)

LOFT

Panels/Pack.:

Combining the best of nature and design, the LOFT collection leaves most wondering: Genuine or engineered? You really have to look very closely to distinguish any difference. But beyond its sheer beauty, its superior durability makes potential damage from heavy furniture, direct sunlight or cigarette burns a thing of the past. When you choose the LOFT collection, you choose robust and low-maintenance laminate flooring – because your home should be just as carefree as it is beautiful.

## **ADVANTAGES**

- Thickness: 8 mm
- Beautiful parquet look
- Tougher than wood
- Easy to install













## Suitable for class 32/AC4 as per EN 13329










K039 Silverside Driftwood Multistrip | GT



K040 Urban Driftwood Multistrip | GT











A warm atmosphere. An easy-going, laid-back charm. And a wonderful lightness of being that evokes that very special country feeling. Combining modern lifestyle with traditional grace – in an individual, uncompromising way, right down to the planks on the floor. The distinctive V-groove bevel on the long sides of each plank gives an authentic cottage feel, while the blessings of modern age add further dimensions of carefreeness including scratch and stain resistance thanks to our advanced surface, and hassle-free installation with our signature Twin Clic system. All that at excellent value for the money – and all valuable aspects to easily create your own country-style cheerfulness.

## **ADVANTAGES**

- Thickness: 7 mm
- Bevelled edges on all four sides of the panel
- Fast and simple Clic-system installation
- Durable HDF coreboard with added moisture protection
- Hygienic and easy to clean



















## Suitable for class 31/AC3 as per EN 13329





# THE WONDERFUL LIGHTNESS OF BEING.



## collection **COUNTRY**

Total thickness: 7 mm

1285 x 192 mm Surface area: Panels/Pack.: 10 pieces (2.47 m<sup>2</sup>)

Weight/Pack.: 15 kg

EUROHOME enjoy living

K271 Gossamer Oak Planked | NL





7209 Liberty Oak Planked | NL



4009 Rock Ridge Oak Planked | NL



8096 San Diego Oak Planked | NL



8714 Nevada Oak Planked | NL

5945 Baronial Oak, Planked | NL




5945 Baronial Oak Planked | NL



5236 Greenland Oak Planked | RF







**ENHANCES** EVERY STYLE.



collection

**CLASSIC** 

Total thickness: 7 mm

Weight/Pack.: 15 kg

1285 x 192 mm

10 pieces (2.47 m<sup>2</sup>)

Surface area:

Panels/Pack.:

**ADVANTAGES** 

K056 Main Oak, 2 Strip | GT

- Thickness: 7 mm
- Fast and simple Clic-system installation
- Hygienic and easy to clean







Suitable for class 31/AC3 as per EN 13329

is sure to have the right floor to match it. With a surface structure ensuring comfort and aesthetics, all of

the many CLASSIC laminate flooring designs are quick and effortless to lay and ideally easy to maintain.



K056 Main Oak 2 Strip | GT





5303 Alpine Oak Planked | RF



5945 Baronial Oak Planked | NL



K038 Bali Driftwood Multistrip | GT









Product information in this brochure is correct at time of going to publication. The company has a policy of continuous product development and reserves the right to change any product specifications given in this brochure. Due to the variations in the printing process, colors in this brochure may be subject to deviation from the actual products. 04/20/01



**HOUTWERF** wij zorgen er voor!

www.houtwerf.nl